



# Filter AerGO® A1P R SL

Combined filter with AerGO® thread





#### MALINA - Safety s.r.o.

Luční 11, 466 01 Jablonec n. Nisou, Czech Republic Tel.: +420 483 356 600, Email.: export@malina-safety.cz Web.: www.malina-safety.cz / www.clean-air.cz DA-057\_-\_300357\_-\_A1P\_R\_SL\_-\_EN

### © CleanAIR® All rights reserved

Revision.: 2021\_04\_23 Output.: 2021\_04\_23

## TECHNICAL DATASHEET

## Filter AerGO® A1P R SL

Combined filter with AerGO® thread



### Technical specification

Product code	30 03 57
Standards	TH3 A1P R SL according to EN 12941
Compatibility	CleanAIR® AerGO®
Weight	280 g
Dimensions	diameter 110 mm height 58 mm
Materials	filter housing: ABS filtration medium: microfiber glass media activated charcoal
Thread	TR-110 - AerGO® compatible
Storage conditions Operating conditions	– 10°C to + 55°C, humidity 20 - 95 % Rh + 0°C to + 60°C, humidity 20 - 95 % Rh

Group of contaminants	Protect against
А	Organic gases and vapours with a boiling point above 65 °C (e.g. toluene, benzene, styrene, kerosene, petrol, isobuthanol,)
Р	Solid particles in the form of liquid and solid aerosols (e.g. dust, smoke, fibres, bacteria, viruses and radioactive particles,)

### Disclaimer Notice

All the information contained herein is believed to be accurate and is subject to change without notice. Users should independently evaluate the suitability of each product for their own applications. CleanAIR® products are not designed for, and may not be used in, all applications.

### TECHNICAL DATASHEET

# Filter AerGO® A1P R SL

Combined filter with AerGO® thread



Main requirements of EN 12941			
Gas filter capacity with test gas (105 l/min)	Required		
Cyclohexane C <sub>6</sub> H <sub>12</sub>	min. 35 min		
Maximum permitted penetration of test aerosol (105 l/min)	Required		
Sodium Chloride NaCl	max. 0,05 %		
Paraffin oil	max. 0,05 %		

Filter AerGO® A1P R SL meets all requiremets and comply with stated norms. In addition, in most aspects the filter extensively surpasses the requirements of the standard. For more information please contact our sales department at export@malina-safety.cz.

### Disclaimer Notice

All the information contained herein is believed to be accurate and is subject to change without notice. Users should independently evaluate the suitability of each product for their own applications. CleanAIR® products are not designed for, and may not be used in, all applications.